

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|-------------------------------------|-------------------------------------------------------------------|------------------|---------|------------------|
| L3 | 1 | ((("10188332") or ("8074033")). PN. | JPO | OR | OFF | 2005/08/11 15:38 |
| S1 | 255 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/16 14:17 |
| S2 | 255 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/08 10:18 |
| S3 | 1909053 | phase | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/08 10:18 |
| S4 | 1927372 | phas\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/08 10:18 |
| S5 | 167 | S4 and S2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/08 10:19 |
| S6 | 44290 | anisotropic and (voltage electrode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/09 17:18 |
| S7 | 18 | S6 and (369/112.02).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 13:17 |
| S8 | 1143957 | (LCD crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/09 17:17 |

| | | | | | | |
|-----|--------|-------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S9 | 5665 | (anisotropic and (voltage electrode)) same (LCD crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/09 17:18 |
| S10 | 4 | ((("5859818") or ("5594565"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/09 17:20 |
| S11 | 257 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/16 09:07 |
| S12 | 17110 | sheet adj resistance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 09:04 |
| S13 | 224467 | electrode same resistance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 09:51 |
| S14 | 6495 | ((power adj supply) electrode) adj resistance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 09:06 |
| S15 | 26764 | ((ZnO (zinc adj1 oxide)) (SiO (Silicoïn adj1 Oxide))) same (Ga Gallium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 09:50 |
| S16 | 0 | S12 and (S13 same S15) and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 09:51 |

| | | | | | | |
|-----|---|--------------------------------------------|-------------------------------------------------------------------|----|----|------------------|
| S17 | 7 | S12 and S13 and S15 and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 09:52 |
| S18 | 6 | S17 and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 10:08 |
| S19 | 5 | S17 and (LC crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 10:22 |
| S20 | 1 | S11 and (LC crystal) and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 10:22 |
| S21 | 0 | S11 and (LC crystal) and (S13 same S15) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 10:24 |
| S22 | 0 | S11 and (LC crystal) and S13 and S15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 10:24 |
| S23 | 0 | S11 and (LC crystal) and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 10:25 |
| S24 | 2 | S11 and (LC crystal) and S15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 10:25 |

| | | | | | | |
|-----|---------|-----------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S25 | 186521 | ((power (thin adj film)) near10 electrode\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 14:55 |
| S26 | 2958954 | resistor\$1.resistance\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 14:55 |
| S27 | 474589 | LCD (crystal near2 liquid) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 14:55 |
| S28 | 13734 | S25 near10 S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 14:56 |
| S29 | 349 | S28 same S27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 15:22 |
| S30 | 257 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/16 15:22 |
| S31 | 0 | S29 and S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 15:22 |
| S32 | 134 | S29 and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 16:34 |

| | | | | | | |
|-----|------|------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S33 | 68 | S29 and (ZnO (zinc adj2 oxide) Ga Gallium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/17 14:53 |
| S34 | 56 | S29 and (omega ohm) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 16:42 |
| S35 | 2 | ("6761986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/16 16:43 |
| S36 | 0 | ("60282337").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/16 16:44 |
| S37 | 2 | cheung and infared | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/16 16:44 |
| S40 | 0 | (anisotropic with (LC (liquid near2 crystal))) and "369/?".ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 13:18 |
| S42 | 5698 | anisotropic with (LC (liquid near2 crystal)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 13:19 |
| S43 | 3234 | S42 and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 13:19 |

| | | | | | | |
|-----|--------|-----------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S44 | 301 | S43 and head | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 13:19 |
| S48 | 53 | nomura and takuji and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 13:57 |
| S49 | 4 | ((("5084777") or ("4127322"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/16 14:19 |
| S50 | 1 | ("59905558").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/16 14:19 |
| S51 | 3 | ("5905558").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/16 14:19 |
| S52 | 121936 | (electrode sheet) near3 (resistor resistance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 08:58 |
| S56 | 481546 | lcd (liquid near2 crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:00 |
| S57 | 1171 | S52 near30 S56 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:00 |

| | | | | | | |
|-----|---------|---------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S58 | 4899749 | light optical laser beam | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:00 |
| S59 | 203 | S57 same S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:01 |
| S61 | 91560 | ("369").clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:01 |
| S62 | 1 | S59 and S61 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:03 |
| S63 | 274822 | ohm kilohm (kilo-ohm) (k-ohm) kohm omega | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:04 |
| S64 | 10 | S59 same S63 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:16 |
| S65 | 1620 | S52 same S63 and S56 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:16 |
| S67 | 1484 | S65 and S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/17 09:18 |
| S68 | 1 | ("20020036958").PN. | US-PGPUB; USPAT | OR | OFF | 2005/08/10 16:28 |
| S69 | 1 | ("6480454").PN. | US-PGPUB; USPAT | OR | OFF | 2005/08/10 16:28 |

| | | | | | | |
|-----|---------|----------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S70 | 1 | ("1011009").PN. | EPO | OR | OFF | 2005/08/10 16:36 |
| S71 | 279 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S72 | 279 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S73 | 1985206 | phase | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S74 | 2004288 | phas\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S75 | 189 | S74 and S72 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S76 | 47925 | anisotropic and (voltage electrode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S77 | 1203946 | (LCD crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S78 | 6143 | (anisotropic and (voltage electrode)) same (LCD crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |

| | | | | | | |
|-----|--------|-------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S79 | 18 | S76 and (369/112.02).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S80 | 4 | ((("5859818") or ("5594565")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S81 | 279 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S82 | 18211 | sheet adj resistance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S83 | 232226 | electrode same resistance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S84 | 6768 | ((power adj supply) electrode) adj resistance | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S85 | 27556 | ((ZnO (zinc adj1 oxide)) (SiO (Silicoin adj1 Oxide))) same (Ga Gallium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S86 | 0 | S82 and (S83 same S85) and S84 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |

| | | | | | | |
|-----|---|--------------------------------------------|-------------------------------------------------------------------|----|----|------------------|
| S87 | 7 | S82 and S83 and S85 and S84 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S88 | 6 | S87 and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S89 | 5 | S87 and (LC crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S90 | 0 | S81 and (LC crystal) and (S83 same S85) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S91 | 2 | S81 and (LC crystal) and S82 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S92 | 0 | S81 and (LC crystal) and S83 and S85 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S93 | 0 | S81 and (LC crystal) and S84 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S94 | 2 | S81 and (LC crystal) and S85 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |

| | | | | | | |
|----------|---------|-----------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S95 | 196216 | ((power (thin adj film)) near10 electrode\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S96 | 3048831 | resistor\$1 resistance\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S97 | 509675 | LCD (crystal near2 liquid) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S98 | 14256 | S95 near10 S96 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S99 | 376 | S98 same S97 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S10 0 | 279 | (369/112.02).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S10 1 | 0 | S99 and S100 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S10 2 | 153 | S99 and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |

| | | | | | | |
|----------|------|------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S10 3 | 60 | S99 and (omega ohm) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S10 4 | 75 | S99 and (ZnO (zinc adj2 oxide) Ga Gallium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S10 5 | 2 | ("6761986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S10 6 | 0 | ("60282337").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S10 7 | 2 | cheung and infared | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S10 8 | 0 | (anisotropic with (LC (liquid near2 crystal))) and "369/?".ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S10 9 | 6111 | anisotropic with (LC (liquid near2 crystal)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S11 0 | 3533 | S109 and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |

| | | | | | | |
|----------|--------|--------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S11 1 | 344 | S110 and head | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S11 2 | 56 | nomura and takuji and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S11 3 | 4 | ((("5084777") or ("4127322"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S11 4 | 1 | ("59905558").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S11 5 | 3 | ("5905558").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 17:37 |
| S11 6 | 125568 | (electrode sheet) near3 (resistor resistance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S11 7 | 509675 | lcd (liquid near2 crystal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S11 8 | 1224 | S116 near30 S117 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |

| | | | | | | |
|----------|---------|---------------------------------------------|-------------------------------------------------------------------|----|----|------------------|
| S11 9 | 5055949 | light optical laser beam | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S12 0 | 210 | S118 same S119 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S12 1 | 94017 | ("369").clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S12 2 | 1 | S120 and S121 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S12 3 | 283687 | ohm kilohm (kilo-ohm) (k-ohm) kohm omega | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S12 4 | 10 | S120 same S123 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S12 5 | 1718 | S116 same S123 and S117 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |
| S12 6 | 1574 | S125 and S119 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:37 |